

CERTIFICATE OF ANALYSIS

PRODUCED: JAN 17, 2022

SAMPLE: LA CAKE (CONCENTRATE) // CLIENT: SAVAGE VALLEY // BATCH: **PASS**
CARTRIDGE



BATCH NO.: LAC-001
METRC UID: 1A4060300033451000000220
MATRIX: CONCENTRATE
CATEGORY: INHALABLE
SAMPLE ID: BCL-220114-027
COLLECTED ON: JAN 14, 2022
RECEIVED ON: JAN 14, 2022
BATCH/SAMPLE SIZE: 940 UNITS / 14 UNITS
PACKAGE SIZE: 1 G

CANNABINOID OVERVIEW

TOTAL THC:	83.20744 %
TOTAL CBD:	0.2807 %
TOTAL CANNABINOIDS:	87.37529 %

MANUFACTURER INFO

MANUFACTURER

THE BROCCOLI KING , INC
2063 PACIFIC AVE
LONG BEACH, CA 90806

LICENSE

CDPH-10002790
ADULT-USE AND MEDICINAL -
MANUFACTURING LICENSE

DISTRIBUTOR INFO

DISTRIBUTOR

SAVAGE VALLEY LLC
1325 E ST ANDREW PL
SANTA ANA, CA 92705

LICENSE

C11-0001370-LIC
ADULT-USE AND MEDICINAL -
DISTRIBUTOR LICENSE



BCL-03: CANNABINOID POTENCY BY HPLC-UV // JAN 17, 2022

ANALYTE	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
CBC	0.39304 %	3.9304 mg/g	0.02193/0.49841	N/A
CBCA	ND	ND	0.0628/0.49841	N/A
CBD	0.28070 %	2.8070 mg/g	0.0309/0.49841	N/A
CBDA	ND	ND	0.01595/0.49841	N/A
CBDV	ND	ND	0.02392/0.49841	N/A
CBDVA	ND	ND	0.01595/0.49841	N/A
CBG	2.27392 %	22.7392 mg/g	0.02891/0.49841	N/A
CBGA	ND	ND	0.01994/0.49841	N/A
CBN	0.84220 %	8.4220 mg/g	0.01595/0.49841	N/A
Δ ⁸ -THC	ND	ND	0.05781/0.49841	N/A
Δ ⁹ -THC	83.20744 %	832.0744 mg/g	0.04187/0.49841	N/A
THCA	ND	ND	0.0299/0.49841	N/A
THCV	0.37799 %	3.7799 mg/g	0.03289/0.49841	N/A
THCVA	ND	ND	0.02293/0.49841	N/A
TOT THC **	83.20744 %	832.0744 mg/g		N/A
TOT CBD **	0.28070 %	2.8070 mg/g		N/A
CBD/PKG	2.81 mg			N/A
Δ ⁹ -THC/PKG	832.07 mg			PASS
TOT CBD/PKG **	2.81 mg			N/A
TOT THC/PKG **	832.07 mg			N/A

TERPENOID TESTING BY HS-GC/FID

ANALYTE	AMT	AMT	LOD/LOQ ()	PASS/FAIL
TOTAL TERPENES	ND	ND		N/A
α-PINENE	NT	NT		N/A
CAMPHERE	NT	NT		N/A
β-PINENE	NT	NT		N/A
β-MYRCENE	NT	NT		N/A
Δ ³ -CARENE	NT	NT		N/A
α-TERPINENE	NT	NT		N/A
D-LIMONENE	NT	NT		N/A
P-CYMENE	NT	NT		N/A
α-OCIMENE	NT	NT		N/A
β-OCIMENE	NT	NT		N/A
γ-TERPINENE	NT	NT		N/A
TERPINOLENE	NT	NT		N/A
LINALOOL	NT	NT		N/A
ISOPULEGOL	NT	NT		N/A
GERANIOL	NT	NT		N/A
β-CARYOPHYLLENE	NT	NT		N/A
α-HUMULENE	NT	NT		N/A
CIS-NEROLIDOL	NT	NT		N/A
TRANS-NEROLIDOL	NT	NT		N/A
GUAIOL	NT	NT		N/A
α-BISABOLOL	NT	NT		N/A
1,8-CINEOLE *	NT	NT		N/A

** TOTAL CBD = (CBDA X 0.877) + CBD
** TOTAL THC = (THCA X 0.877) + THC

* BEYOND SCOPE OF ACCREDITATION

REGULATORY COMPLIANCE TESTING

SAMPLE WAS TESTED AS RECEIVED. ALL LQC SAMPLES REQUIRED BY SECTION 15730 OF CALIFORNIA CODE OF REGULATIONS TITLE 4 DIVISION 19 DEPARTMENT OF CANNABIS CONTROL WERE PERFORMED AND MET THE ACCEPTANCE CRITERIA.

RESULTS CERTIFIED BY: CODY SHEPPARD, PH.D.
SCIENCE DIRECTOR, BELCOSTA LABS
JAN 17, 2022

Cody Sheppard



REGULATORY COMPLIANCE TESTING

BCL-05: RESIDUAL PESTICIDE ANALYSIS BY LC-MS/MS ESI // JAN 17, 2022

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ABAMECTIN	0.1 µg/g	ND	0.01153/0.04	PASS	MALATHION	0.5 µg/g	ND	0.00472/0.02	PASS
ACEPHATE	0.1 µg/g	ND	0.00368/0.02	PASS	METALAXYL	2 µg/g	ND	0.00503/0.02	PASS
ACEQUINOCYL	0.1 µg/g	ND	0.00417/0.02	PASS	METHIOCARB	Any amt	ND	0.00503/0.02	PASS
ACETAMIPRID	0.1 µg/g	ND	0.00464/0.02	PASS	METHOMYL	1 µg/g	ND	0.00494/0.02	PASS
ALDICARB	Any amt	ND	0.01109/0.04	PASS	MEVINPHOS	Any amt	ND		PASS
AZOXYSTROBIN	0.1 µg/g	ND	0.00639/0.02	PASS	MEVINPHOS I		ND	0.00163/0.0084	N/A
BIFENAZATE	0.1 µg/g	< LOQ	0.00355/0.02	PASS	MEVINPHOS II		ND	0.00542/0.0316	N/A
BIFENTHRIN	3 µg/g	< LOQ	0.00473/0.04	PASS	MYCLOBUTANIL	0.1 µg/g	ND	0.00867/0.04	PASS
BOSCALID	0.1 µg/g	ND	0.00494/0.02	PASS	NALED	0.1 µg/g	ND	0.00328/0.02	PASS
CARBARYL	0.5 µg/g	ND	0.00295/0.02	PASS	OXAMYL	0.5 µg/g	ND	0.00455/0.02	PASS
CARBOFURAN	Any amt	ND	0.00613/0.02	PASS	PACLOBUTRAZOL	Any amt	ND	0.00714/0.04	PASS
CHLORANTRANIL-IPROLE	10 µg/g	ND	0.00697/0.04	PASS	PERMETHRIN	0.5 µg/g	0.0257		PASS
CLOFENTEZINE	0.1 µg/g	ND	0.0054/0.02	PASS	PERMETHRIN CIS		0.0101	0.00237/0.0082	N/A
COUMAPHOS	Any amt	ND	0.00215/0.02	PASS	PERMETHRIN TRANS		0.0156	0.00245/0.0118	N/A
CYFLUTHRIN	2 µg/g	ND	0.05508/0.2	PASS	PHOSMET	0.1 µg/g	ND	0.0043/0.02	PASS
CYPERMETHRIN	1 µg/g	ND	0.00556/0.04	PASS	PIPERONYLBUTOXIDE	3 µg/g	< LOQ	0.00247/0.02	PASS
DAMINOZIDE	Any amt	ND	0.00227/0.04	PASS	PRALLETHRIN	0.1 µg/g	ND	0.00392/0.02	PASS
DIAZINON	0.1 µg/g	ND	0.00487/0.02	PASS	PROPICONAZOLE	0.1 µg/g	ND	0.0024/0.02	PASS
DIMETHOATE	Any amt	ND	0.00354/0.02	PASS	PROPOXUR	Any amt	ND	0.00374/0.02	PASS
DIMETHOMORPH	2 µg/g	ND		PASS	PYRETHRINS	0.5 µg/g	ND	0.00726/0.04	PASS
DIMETHOMORPH I		ND	0.00109/0.0078	N/A	PYRIDABEN	0.1 µg/g	ND	0.0034/0.02	PASS
DIMETHOMORPH II		ND	0.0015/0.0122	N/A	SPINETORAM	0.1 µg/g	ND		PASS
ETHOPROPHOS	Any amt	ND	0.0041/0.02	PASS	SPINETORAM J		ND	0.00329/0.016	N/A
ETOFENPROX	Any amt	ND	0.00274/0.02	PASS	SPINETORAM L		ND	0.00157/0.016	N/A
ETOXAZOLE	0.1 µg/g	ND	0.00385/0.02	PASS	SPINOSAD	0.1 µg/g	ND		PASS
FENHEXAMID	0.1 µg/g	ND	0.01055/0.02	PASS	SPINOSAD A		ND	0.00205/0.01438	N/A
FENOXYCARB	Any amt	ND	0.00175/0.02	PASS	SPINOSAD D		ND	0.00104/0.00498	N/A
FENPYROXIMATE	0.1 µg/g	ND	0.00481/0.02	PASS	SPIROMESIFEN	0.1 µg/g	ND	0.00944/0.04	PASS
FIPRONIL	Any amt	ND	0.00478/0.02	PASS	SPIROTETRAMAT	0.1 µg/g	ND	0.00208/0.02	PASS
FLONICAMID	0.1 µg/g	ND	0.00398/0.02	PASS	SPIROXAMINE	Any amt	ND	0.00344/0.02	PASS
FLUDIOXONIL	0.1 µg/g	ND	0.01369/0.04	PASS	TEBUCONAZOLE	0.1 µg/g	< LOQ	0.00816/0.04	PASS
HEXYTHIAZOX	0.1 µg/g	ND	0.00297/0.02	PASS	THIACLOPRID	Any amt	ND	0.0039/0.02	PASS
IMAZALIL	Any amt	ND	0.0056/0.02	PASS	THIAMETHOXAM	5 µg/g	ND	0.00358/0.02	PASS
IMIDACLOPRID	5 µg/g	ND	0.00645/0.02	PASS	TRIFLOXYSTROBIN	0.1 µg/g	ND	0.00421/0.02	PASS
KRESOXIM-METHYL	0.1 µg/g	ND	0.00339/0.02	PASS					

BCL-13: PESTICIDE TESTING BY GC/MS // JAN 17, 2022

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
CAPTAN	0.7 µg/g	ND	0.01977/0.06	PASS	CHLORPYRIFOS	Any amt	ND	0.01653/0.06	PASS
CHLORDANE	Any amt	ND		PASS	DICHLORVOS	Any amt	ND	0.01165/0.06	PASS
CHLORDANE CIS		ND	0.01199/0.03	N/A	METHYL PARATHION	Any amt	ND	0.00851/0.06	PASS
CHLORDANE TRANS		ND	0.01082/0.03	N/A	PENTACHLORONI-TROBENZENE	0.1 µg/g	ND	0.01282/0.06	PASS
CHLORFENAPYR	Any amt	ND	0.01364/0.06	PASS					



BCL-18: RESIDUAL SOLVENTS ANALYSIS BY HS-GC-MS // JAN 17, 2022

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
1,2-DICHLOROETHANE	1 µg/g	ND	0.16699/0.58252	PASS
ACETONE	5000 µg/g	ND	18.79612/58.25243	PASS
ACETONITRILE	410 µg/g	ND	16.67961/58.25243	PASS
BENZENE	1 µg/g	ND	0.07379/0.58252	PASS
BUTANE	5000 µg/g	ND	17.58835/58.25243	PASS
CHLOROFORM	1 µg/g	ND	0.17087/0.58252	PASS
ETHANOL	5000 µg/g	ND	14.41942/58.25243	PASS
ETHYL ACETATE	5000 µg/g	ND	17.80583/58.25243	PASS
ETHYLENE OXIDE	1 µg/g	ND	0.18641/0.58252	PASS
ETHYL ETHER	5000 µg/g	ND	15.68544/58.25243	PASS
HEPTANE	5000 µg/g	ND	13.72427/58.25243	PASS
HEXANE	290 µg/g	ND	21.1301/97.08738	PASS
ISOPROPYL ALCOHOL	5000 µg/g	ND	14.56311/58.25243	PASS
METHANOL	3000 µg/g	ND	13.06019/58.25243	PASS
METHYLENE CHLORIDE	1 µg/g	ND	0.14757/0.58252	PASS
PENTANE	5000 µg/g	ND	32.1165/97.08738	PASS
PROPANE	5000 µg/g	ND	16.59417/58.25243	PASS
TOLUENE	890 µg/g	ND	9.16893/58.25243	PASS
TRICHLOROETHYLENE	1 µg/g	ND	0.07767/0.58252	PASS
O-XYLENE		ND	4.34175/29.12621	N/A
P- AND M-XYLENE		ND	4.0233/29.12621	N/A
TOTAL XYLENES	2170 µg/g	ND		PASS

BCL-11: MYCOTOXIN TESTING BY LC-MS/MS // JAN 17, 2022

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN B1		ND	0.23/4	N/A
AFLATOXIN B2		ND	0.181/4	N/A
AFLATOXIN G1		ND	0.155/4	N/A
AFLATOXIN G2		ND	0.934/4	N/A
AFLATOXINS	20 µg/kg	ND		PASS
OCHRATOXIN A	20 µg/kg	ND	0.385/4	PASS

BCL-07: FOREIGN MATERIAL TESTING BY MICROSCOPY // JAN 15, 2022

ANALYTE	LIMIT	AMT (%)	PASS/FAIL
IMBEDDED FOREIGN MATERIAL	25 %	ND	PASS
INSECT FRAGMENTS, HAIR, MAMMAL EXCREMENT	1 Unit	ND	PASS
MOLD	25 %	ND	PASS
SAND, SOIL, CINDERS, DIRT	25 %	ND	PASS

BCL-06: MICROBIOLOGICAL ANALYSIS BY QPCR // JAN 16, 2022

ANALYTE	LIMIT	AMT (CFU)	PASS/FAIL
ASPERGILLUS FLAVUS	Any amt in 1 gram	ND	PASS
ASPERGILLUS FUMIGATUS	Any amt in 1 gram	ND	PASS
ASPERGILLUS NIGER	Any amt in 1 gram	ND	PASS
ASPERGILLUS TERREUS	Any amt in 1 gram	ND	PASS
ESCHERICHIA COLI	Any amt in 1 gram	ND	PASS
SALMONELLA SPP.	Any amt in 1 gram	ND	PASS

BCL-020: HEAVY METAL TESTING BY ICP-MS // JAN 16, 2022

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ARSENIC	0.2 µg/g	< LOQ	0.001/0.05	PASS
CADMIUM	0.2 µg/g	ND	0.0002/0.05	PASS
LEAD	0.5 µg/g	< LOQ	0.0003/0.05	PASS
MERCURY	0.1 µg/g	ND	0.0001/0.01	PASS

